



भारतीय मानक ब्यूरो
BUREAU OF INDIAN STANDARDS

देहरादून शाखा कार्यालय
DEHRADUN BRANCH OFFICE

Address: सी-43, सेक्टर 1, डिफेंस कालोनी
देहरादून-248001 (उत्तराखंड)
C-43, Sector 1, Defence
Colony
Dehradun-248001 (Uttarakhand)


Tel- 0135-2665129, 2665130
FaxNo. 0135-2665272
Email: bisdbo@gmail.com
Web: <http://www.bis.org.in>

ATTACHMENT TO LICENCE NO CM/L- 9527489

CML NO	NAME OF THE LICENSEE WITH ADDRESS	PRODUCT	IS NO
9527489	M/s Archidply Industries Ltd Plot No. 7, Sector 9 SIDCUL Pant Nagar Rudrapur – 263 153 Udham Singh Nagar	Wooden flush door shutters (Solid core type) Part 1 Plywood face panels	IS 2202 (Part 1):1999

ENDORSEMENT NO. 05 DATED 11 March 2010

Consequent upon the inclusion of ECO-Mark in the licence, Column (1) of the First Schedule of the licence has been replaced by the following mark:



Other terms and conditions of Licence remain the same.

K K Chaudhary
(K K Chaudhary)
Scientist F & Head



भारतीय मानक ब्यूरो
BUREAU OF INDIAN STANDARDS

देहरादून शाखा कार्यालय
DEHRADUN BRANCH OFFICE

Address: सी-43, सेक्टर 1, डिफेंस कालोनी
देहरादून-248001 (उत्तराखंड)
C-43, Sector 1, Defence
Colony
Dehradun-248001 (Uttarakhand)


Tel- 0135-2665129, 2665130
FaxNo. 0135-2665272
Email: bisdbo@gmail.com
Web: <http://www.bis.org.in>

ATTACHMENT TO LICENCE NO CM/L- 9528390

CML NO	NAME OF THE LICENSEE WITH ADDRESS	PRODUCT	IS NO
9528390	M/s Archidply Industries Ltd Plot No. 7, Sector 9 SIDCUL Pant Nagar Rudrapur – 263 153 Udham Singh Nagar	Veneered Decorative Plywood	IS 1328:1996

ENDORSEMENT NO. 05 DATED 11 March 2010

Consequent upon the inclusion of ECO-Mark in the licence, Column (1) of the First Schedule of the licence has been replaced by the following mark:



Other terms and conditions of Licence remain the same.

(Signature)
(K K Chaudhary)
Scientist F & Head



भारतीय मानक ब्यूरो
BUREAU OF INDIAN STANDARDS

देहरादून शाखा कार्यालय
DEHRADUN BRANCH OFFICE

Address: सी-43, सेक्टर 1, डिफेंस कालोनी
देहरादून-248001 (उत्तराखंड)
C-43, Sector 1, Defence
Colony
Dehradun-248001 (Uttarakhand)


Tel- 0135-2665129, 2665130
FaxNo. 0135-2665272
Email: bisdbo@gmail.com
Web: <http://www.bis.org.in>

ATTACHMENT TO LICENCE NO CM/L- 9527287

CML NO	NAME OF THE LICENSEE WITH ADDRESS	PRODUCT	IS NO
9527287	M/s Archidply Industries Ltd Plot No. 7, Sector 9 SIDCUL Pant Nagar Rudrapur – 263 153 Udham Singh Nagar	Plywood for general purposes	IS 303:1989

ENDORSEMENT NO. 05 DATED 11 March 2010

Consequent upon the inclusion of ECO-Mark in the licence, Column (1) of the First Schedule of the licence has been replaced by the following mark:



Other terms and conditions of Licence remain the same.

K K Chaudhary
(K K Chaudhary)
Scientist F & Head



भारतीय मानक ब्यूरो
BUREAU OF INDIAN STANDARDS

देहरादून शाखा कार्यालय
DEHRADUN BRANCH OFFICE

Address: सी-43, सेक्टर 1, डिफेंस कालोनी
देहरादून-248001 (उत्तराखंड)
C-43, Sector 1, Defence
Colony
Dehradun-248001 (Uttarakhand)


Tel- 0135-2665129, 2665130
FaxNo. 0135-2665272
Email: bisdbo@gmail.com
Web: <http://www.bis.org.in>

ATTACHMENT TO LICENCE NO CM/L- 9627388

CML NO	NAME OF THE LICENSEE WITH ADDRESS	PRODUCT	IS NO
9527388	M/s Archidply Industries Ltd Plot No. 7, Sector 9 SIDCUL Pant Nagar Rudrapur – 263 153 Udham Singh Nagar	Block Boards	IS 1659:2004

ENDORSEMENT NO. 05 DATED 11 March 2010

Consequent upon the inclusion of ECO-Mark in the licence, Column (1) of the First Schedule of the licence has been replaced by the following mark:



Other terms and conditions of Licence remain the same.

K K Chaudhary
(K K Chaudhary)
Scientist F & Head



भारतीय मानक ब्यूरो
BUREAU OF INDIAN STANDARDS

देहरादून शाखा कार्यालय
DEHRADUN BRANCH OFFICE

Address: सी-43, सेक्टर 1, डिफेंस कालोनी
देहरादून-248001 (उत्तराखंड)
C-43, Sector 1, Defence Colony
Dehradun-248001 (Uttarakhand)

Tel- 0135-2665129, 2665130
FaxNo. 0135-2665272
Email: bisdbo@gmail.com
Web: <http://www.bis.org.in>

पंजीकृत

Our Ref: DBO/L-9527287

11-03-2010

M/s Archidply Industries Ltd
Plot No. 7, Sector 9
SIDCUL Pant Nagar
Rudrapur – 263 153
Udham Singh Nagar

Dear Sir,

With reference to your application dated nil for grant of Ecomark licences, please find enclosed Endorsement no. 05 dated 11-03-2010 to your licences as per IS 303:1989, IS 1328:1996, IS 1659:2004 and IS 2202(Part 1):1999.

Kindly acknowledge receipt.

Thanking you,

Encl: as above

Yours faithfully,

(A K Bera)
Scientist E